

State of Utah

Department of Environmental Quality

Dianne R. Nielson, Ph.D. Executive Director

DIVISION OF WATER QUALITY Walter L. Baker, P.E. Director

Water Quality Board
Joe Piccolo, Chair
Paula Doughty, Vice-Chair
David F. Echols
Neil K. Kochenour
Darrell H. Mensel
LeLand J. Myers
Dianne R. Nielson
Jay Ivan Olsen
Gregory L. Rowley
Ronald C. Sims
Daniel C. Snarr
Walter L. Baker,
Executive Secretary



GARY HERBERT Lieutenant Governor

October 23, 2006

Christy Woodward, PE Tetra Tech EM Inc. 950 17th Street, 22nd Floor Denver Colorado 80202

Dear Ms. Woodward:

Subject: TONY M MINE PERMIT REQUIREMENTS

The Utah Pollutant Discharge Elimination System Permits (UPDES) Section has reviewed your inquiry and information provided for the Tony M Mine owned by International Uranium Corporation to determine any permitting requirements for the facility. This letter only addresses the permits that may be required by the UPDES Permit Section.

A Storm Water Construction Permit and a Storm Water Permit for operation at the mine is required. A UPDES discharge permit for process water discharge will not be required if mine dewatering waters or other wastewaters are not discharged to surface water or waterways. Any discharge to ground water or surface water, other than properly permitted discharges could be subject to enforcement activities and/or permitting.

Please contact Tom Rushing at (801) 538-6951 to inquire regarding all storm water permit coverage. Please contact Rob Herbert, at (801) 538-6038, for any questions regarding ground water permitting or regulations.

Sincerely,
Mikelberkimer

Mike Herkimer,

Manager, UPDES Permits Section

Division of Water Quality

MH:dh:mc

cc:

Rob Herbert, Division of Water Quality Tom Rushing, Division of Water Quality Paul Baker, Division of Oil, Gas, and Mining

F:/wp/CAFOword files/Tony M Mine letter 9 6 06.doc

RECEIVED

OCT 2 5 2006

DIV. OF OIL, GAS & MINING